

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company
NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



Date 19.09.2020


ATTERBERG LIMITS TEST FOR WMM

Client : Executive Engineer, RR Nagar Division, BBMP, Bangalore.
Agency : Sri. Damodar Manjunath, Contractor, Bangalore.
Name of Work : Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore
IS Code: IS 2720(Part 5):1985
Date of Testing : 17.09.2020 to 19.09.2020
Material Type : Wet Mix Macadam


Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CL.406.2.1.2
1	Liquid Limit	19.60	-
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.


Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS


Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021

IAS-ANZ



Date 19.09.2020

ATTERBERG LIMITS TEST FOR WMM

: Executive Engineer, RR Nagar Division, BBMP, Bangalore.

: Sri. Damodar Manjunath, Contractor, Bangalore.

: Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore

IS Code:

IS 2720(Part 5):1985

Date of Testing

17.09.2020 to 19.09.2020


Material Type

: Wet Mix Macadam

Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CL406.2.1.2
1	Liquid Limit	18.90	
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.


Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS


Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



Date 19.09.2020

ATTERBERG LIMITS TEST FOR WMM

: Executive Engineer, RR Nagar Division, BBMP, Bangalore.

: Sri. Damodar Manjunath, Contractor, Bangalore.

: Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore

IS Code:

IS 2720(Part 5):1985

Date of Testing

17.09.2020 to 19.09.2020

Material Type

: Wet Mix Macadam

Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CL.406.2.1.2
1	Liquid Limit	18.50	
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.

M. S. R.

M. S. R.
Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS

F. Mohy
Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



ATTERBERG LIMITS TEST FOR WMM


Date 19.09.2020

Client : Executive Engineer, RR Nagar Division, BBMP, Bangalore.
Agency : Sri. Damodar Manjunath, Contractor, Bangalore.
Name of Work : Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
IS Code: IS 2720(Part 5):1985
Date of Testing 17.09.2020 to 19.09.2020
Material Type : Wet Mix Macadam
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore


Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CI.406.2.1.2
1	Liquid Limit	18.30	-
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.


Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS


Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



Date 19.09.2020

ATTERBERG LIMITS TEST FOR WMM

Client : Executive Engineer, RR Nagar Division, BBMP, Bangalore.
Agency : Sri. Damodar Manjunath, Contractor, Bangalore.
Name of Work : Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore
IS Code: IS 2720(Part 5):1985
Date of Testing 17.09.2020 to 19.09.2020
Material Type : Wet Mix Macadam

Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CI.406.2.1.2
1	Liquid Limit	20.10	
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.

[Signature]

[Signature]
Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS

[Signature]
Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



ATTERBERG LIMITS TEST FOR WMM


Date 19.09.2020

Client Agency Name of Work : Executive Engineer, RR Nagar Division, BBMP, Bangalore.
: Sri. Damodar Manjunath, Contractor, Bangalore.
IS Code: : Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
Date of Testing IS 2720(Part 5):1985
Material Type : Wet Mix Macadam
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore


Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CL406.2.1.2
1	Liquid Limit	19.90	-
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.


Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS


Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company
NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



ATTERBERG LIMITS TEST FOR WMM


Date 19.09.2020

Client : Executive Engineer, RR Nagar Division, BBMP, Bangalore.
Agency : Sri. Damodar Manjunath, Contractor, Bangalore.
Name of Work : Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
IS Code: IS 2720(Part 5):1985
Date of Testing 17.09.2020 to 19.09.2020
Material Type : Wet Mix Macadam
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore

Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CI.406.2.1.2
1	Liquid Limit	18.30	
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.


Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS


Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



ATTERBERG LIMITS TEST FOR WMM


Date 19.09.2020

Agency Name of Work : Executive Engineer, RR Nagar Division, BBMP, Bangalore.
: Sri. Damodar Manjunath, Contractor, Bangalore.
IS Code: : Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
Date of Testing : IS 2720 (Part 5): 1985
Material Type : 17.09.2020 to 19.09.2020
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore
: Wet Mix Macadam


Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CL406.2.1.2
1	Liquid Limit	19.90	
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.


Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS


Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



ATTERBERG LIMITS TEST FOR WMM

Date 19.09.2020

: Executive Engineer, RR Nagar Division, BBMP, Bangalore.
: Sri. Damodar Manjunath, Contractor, Bangalore.

: Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore

IS Code: IS 2720(Part 5):1985
Date of Testing 17.09.2020 to 19.09.2020
Material Type : Wet Mix Macadam

Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition Cl.406.2.1.2
1	Liquid Limit	18.60	-
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.

M. Z. A.

M. Z.
Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

For CIVIL QUALITY CONSULTANTS & ENGINEERS

G. Moh
Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550

CIVIL QUALITY CONSULTANTS & ENGINEERS

(Buildings Geo-Tech & Highway Materials Testing Laboratory)
An ISO 9001: 2015 Certified Company

NABL Accredited As Per ISO/IEC : 17025:2005 Laboratory

CQCE/BBMP/DM/16/2020-2021



Date 19.09.2020

ATTERBERG LIMITS TEST FOR WMM

: Executive Engineer, RR Nagar Division, BBMP, Bangalore.

: Sri. Damodar Manjunath, Contractor, Bangalore.

: Comprehensive Development of roads and drains in ward no. 16, Rajarajeshwarinagara
Assembly Constituency under Package-2019-20 RRN-DIV-(01), BBMP, Bangalore

IS Code: IS 2720(Part 5):1985

Date of Testing 17.09.2020 to 19.09.2020

Material Type : Wet Mix Macadam

Sl. No.	Particulars	Test Results	Requirement as per MORTH 5th edition CL406.2.1.2
1	Liquid Limit	20.30	
2	Plasticity Index, %	Non Plastic	6.0% Maximum.

Note:

1. The report shall not be reproduced, except in full, without the written approval of the laboratory.
2. The results indicated above are based on the tests carried out on the samples received in the laboratory.
3. Any Query regarding the report must be reported within 30 days from the date of testing.

[Signature]

Asst. Executive Engineer
Yeshwanthpura Sub-Division
Bruhat Bangalore Mahanagara Palike

[Signature]

For CIVIL QUALITY CONSULTANTS & ENGINEERS

[Signature]
Authorised Signatory

Office & Laboratory : # 133, Bhuvaneshwarinagar, Dodda Basti Main Road, Bangalore - 560 056.
e-mail: civilqualityconsultants@gmail.com Ph: 080-23240644 / Mob: 8553518550